

BASTUCK PRODUCT INFORMATION

EDITION 50/17 | 18.12.17

Alfa Romeo 4C incl. Spider

BASTUCK®

SPORTS REAR SILENCER

.....

The Alfa Romeo 4C already carries the pure racing-DNA. However, BASTUCK even tops it now: A rear silencer with GPS-controlled electrical exhaust flap provides the extra sports kick, not only visually, but also concerning the performance data.



There are two different tailpipe variations available: the single variation left/right „Twin RACE Slash“ (1 x 100 mm, 30° LH + RH) or the double variation left/right „Quattro RACE“ (2 x 85 mm LH + RH). Mounting the sports rear silencer does not only lead to a rich sound, but also to a considerable performance increase: 4 KW and 13 NM*).

The GPS-controlled valve control has been developed, so that it opens automatically when exceeding a speed of 70 km/h. The rear silencer is also available without exhaust flap, of course.



- performance increase of up to 4 KW and 13 NM*)
- optionally with GPS-controlled electrical exhaust flap (with ECE approval, BASTUCK development)
- tailpipe variations: „Twin RACE Slash“ 1x Ø 100 mm 30° LH + RH and „Quattro RACE“ 2x Ø 85 mm LH+RH

SPORTS REAR SILENCER



| Alfa Romeo 4C | Sports rear silencer | Rear silencer optionally with or without exhaust flap and 2 x Ø 85 mm double tailpipe LH+RH in RACE look |

.....

*) Ref. vehicle: Alfa Romeo 4C 177 KW / 6000 rpm, input measurement: 181 KW / 347 NM, measured with sports rear silencer: 185 KW / 360 NM, increase of up to: 4 KW / 13 NM


BASTUCK®

BASTUCK & Co GmbH
D-66822 Lebach

Tel.: +49 (0) 68 81 - 9 24 91 01
Fax: +49 (0) 68 81 - 9 24 91 19

service@bastuck.de
www.bastuck.com




Endschalldämpfer (als Ersatz für den Serienschalldämpfer) in 2 Endrohrvarianten	Silencieux arrière (remplace le silencieux arrière d'origine) avec 2 variantes de sortie	Rear silencer (replacing the original rear silencer) in 2 tailpipe variations	Silenciador trasero (como sustituto del silenciador estándar) con 2 variantes de tubo de escape
AR/4C-... SCH63  AR/4C-... SCH63 			

Fernbedienung für Abgasklappe* (ohne Zulassung)	Télécommande pour le clapet d'échappement* (non homologuée)	Remote control for exhaust flap* (without approval)	Telemando para válvula de escape* (sin homologación)
AG/FB-EP  * Die Fernbedienung ist bei den Endschalldämpfern mit Abgasklappe enthalten! * La télécommande est comprise lors de l'acquisition des silencieux arrière avec clapet d'échappement! * The remote control is included when purchasing the rear silencers with exhaust flap! * El telemando está incluido al adquirir los silenciadores traseros con válvula de escape!			



Twin RACE Slash
Ø 100 mm
wahlweise mit und ohne Abgasklappe
en option avec ou sans clapet d'échappement
either with or without exhaust flap
opcionalmente con o sin válvula de escape



Quattro RACE
Ø 85 mm
wahlweise mit und ohne Abgasklappe
en option avec ou sans clapet d'échappement
either with or without exhaust flap
opcionalmente con o sin válvula de escape

Befestigungsmaterial	Pièces de fixation	Fixing parts	Piezas de fijación
SCH63 			

○		63 mm	○	

4 C incl. Spider

Verwendung Die Edelstahl-Auspuffanlage ist zum Anbau an folgende Fahrzeuge geeignet: Utilisation Les échappements inox peuvent se monter sur les véhicules suivants:			Application The stainless steel exhaust is suitable for the following cars: Utilización El sistema de escape en acero inoxidable está previsto para los siguientes vehículos:		
Type Type Type Tipo	ABE-Nr./Gen.-Nr. N° série EEC-No Número de serie		Verkaufsbezeichnung Type véhicule Car type Tipo de vehículo		
Motortyp Type moteur Engine type Tipo de motor	Hubraum Cylindrée Capacity Cilindrada (cm³)	Nennleistung Puissance nominale Nominal power Potencia nominal (kW/min)	Motortyp Type moteur Engine type Tipo de motor	Hubraum Cylindrée Capacity Cilindrada (cm³)	Nennleistung Puissance nominale Nominal power Potencia nominal (kW/min)
Fiat 960		e3*KS07/46*0020*.. ab Nachtrag 02	Alfa Romeo 4C		
960A1000/Otto	1742	177/6000			
Alfa Romeo 960		e3*KS07/46*0020*.. ab Nachtrag 03	Alfa Romeo 4C		
960A1000/Otto	1742	177/6000			

Hinweis:
Mit der Fernbedienung AG/FB-EP kann die Abgasklappe manuell geöffnet werden. Diese bleibt dann dauerhaft geöffnet.
Nicht erlaubt im öffentlichen Straßenverkehr!

Remarque:
En utilisant la télécommande AG/FB-EP le clapet d'échappement peut être ouvert manuellement. Après l'activation, le clapet est ouvert en permanence. Pas permis sur les voies publiques!

Attention:
Using the remote control AG/FB-EP, the exhaust flap can be opened manually. It will be opened permanently afterwards.
Not permitted in public road traffic!

Nota:
Mediante el telemando AG/FB-EP se puede abrir manualmente la válvula de escape. Tras activación, esta permanece abierta.
No está permitido por la vía pública!

Artikel-Nr. N° Référence Article No Número del artículo	Bezeichnung	Description	Description	Descripción
--	-------------	-------------	-------------	-------------

Twin RACE Slash				
AR/4C-T100RS	Endschalldämpfer mit Einfach-Endrohr LH + RH 1 x Ø 100 mm, 30° schräg geschnitten (im RACE Look) ohne Abgasklappe	Silencieux arrière avec sortie simple LH + RH 1 x Ø 100 mm découpé obliquement 30° (au design RACE) sans clapet d'échappement	Rear silencer with single tailpipe LH + RH 1 x Ø 100 mm cut obliquely at 30° (RACE design) without exhaust flap	Silenciador trasero con tubo de escape simple LH + RH 1 x Ø 100 mm cortado oblicuamente a 30° (estilo RACE) sin válvula de escape
AR/4C-K/T100RS	Endschalldämpfer mit Einfach-Endrohr LH + RH 1 x Ø 100 mm 30° schräg geschnitten (im RACE Look) mit Abgasklappe	Silencieux arrière avec sortie simple LH + RH 1 x Ø 100 mm découpé obliquement 30° (au design RACE) avec clapet d'échappement	Rear silencer with single tailpipe LH + RH 1 x Ø 100 mm cut obliquely at 30° (RACE design) with exhaust flap	Silenciador trasero con tubo de escape simple LH + RH 1 x Ø 100 mm cortado oblicuamente a 30° (estilo RACE) con válvula de escape

Quattro RACE				
AR/4C-Q85R	Endschalldämpfer mit Doppel-Endrohr LH + RH 2 x Ø 85 mm (im RACE-Look) ohne Abgasklappe	Silencieux arrière avec sortie double LH + RH 2 x Ø 85 mm (au design RACE) sans clapet d'échappement	Rear silencer with double tailpipe LH + RH 2 x Ø 85 mm (RACE design) without exhaust flap	Silenciador trasero con tubo de escape doble LH + RH 2 x Ø 85 mm (estilo RACE) sin válvula de escape
AR/4C-K/Q85R	Endschalldämpfer mit Doppel-Endrohr LH + RH 2 x Ø 85 mm (im RACE-Look) mit Abgasklappe	Silencieux arrière avec sortie double LH + RH 2 x Ø 85 mm (au design RACE) avec clapet d'échappement	Rear silencer with double tailpipe LH + RH 2 x Ø 85 mm (RACE design) with exhaust flap	Silenciador trasero con tubo de escape doble LH + RH 2 x Ø 85 mm (estilo RACE) con válvula de escape
AG/FB-EP	Fernbedienung für Abgasklappe für den Sporteinsatz (ohne Zulassung)	Télécommande pour clapet d'échappement pour utilisation sportive (non homologuée)	Remote control for exhaust flap for sports use (without approval)	Telemando para válvula de escape para uso deportivo (sin homologación)
SCH63	Auspuffschelle Edelstahl Ø 63-68 mm	Collier de montage inox Ø 63-68 mm	Stainless steel clamp Ø 63-68 mm	Abrazadera de acero inoxidable Ø 63-68 mm